



Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003050 Transaction Set 848U
Material Safety Data Sheet
(Unstructured)

Implementation Convention

NIST

U.S. DEPARTMENT OF COMMERCE
Technology Administration
National Institute of
Standards and Technology

QC

100

.U57

NO. 881-63

1998

The National Institute of Standards and Technology was established in 1988 by Congress to “assist industry in the development of technology . . . needed to improve product quality, to modernize manufacturing processes, to ensure product reliability . . . and to facilitate rapid commercialization . . . of products based on new scientific discoveries.”

NIST, originally founded as the National Bureau of Standards in 1901, works to strengthen U.S. industry's competitiveness; advance science and engineering; and improve public health, safety, and the environment. One of the agency's basic functions is to develop, maintain, and retain custody of the national standards of measurement, and provide the means and methods for comparing standards used in science, engineering, manufacturing, commerce, industry, and education with the standards adopted or recognized by the Federal Government.

As an agency of the U.S. Commerce Department's Technology Administration, NIST conducts basic and applied research in the physical sciences and engineering, and develops measurement techniques, test methods, standards, and related services. The Institute does generic and precompetitive work on new and advanced technologies. NIST's research facilities are located at Gaithersburg, MD 20899, and at Boulder, CO 80303. Major technical operating units and their principal activities are listed below. For more information contact the Publications and Program Inquiries Desk, 301-975-3058.

Office of the Director

- National Quality Program
- International and Academic Affairs

Technology Services

- Standards Services
- Technology Partnerships
- Measurement Services
- Technology Innovation
- Information Services

Advanced Technology Program

- Economic Assessment
- Information Technology and Applications
- Chemical and Biomedical Technology
- Materials and Manufacturing Technology
- Electronics and Photonics Technology

Manufacturing Extension Partnership Program

- Regional Programs
- National Programs
- Program Development

Electronics and Electrical Engineering Laboratory

- Microelectronics
- Law Enforcement Standards
- Electricity
- Semiconductor Electronics
- Electromagnetic Fields¹
- Electromagnetic Technology¹
- Optoelectronics¹

Chemical Science and Technology Laboratory

- Biotechnology
- Physical and Chemical Properties²
- Analytical Chemistry
- Process Measurements
- Surface and Microanalysis Science

Physics Laboratory

- Electron and Optical Physics
- Atomic Physics
- Optical Technology
- Ionizing Radiation
- Time and Frequency¹
- Quantum Physics¹

Materials Science and Engineering Laboratory

- Intelligent Processing of Materials
- Ceramics
- Materials Reliability¹
- Polymers
- Metallurgy
- NIST Center for Neutron Research

Manufacturing Engineering Laboratory

- Precision Engineering
- Automated Production Technology
- Intelligent Systems
- Fabrication Technology
- Manufacturing Systems Integration

Building and Fire Research Laboratory

- Structures
- Building Materials
- Building Environment
- Fire Safety Engineering
- Fire Science

Information Technology Laboratory

- Mathematical and Computational Sciences²
- Advanced Network Technologies
- Computer Security
- Information Access and User Interfaces
- High Performance Systems and Services
- Distributed Computing and Information Services
- Software Diagnostics and Conformance Testing

¹ At Boulder, CO 80303.

² Some elements at Boulder, CO.

Federal Implementation Guideline for Electronic Data Interchange

ASC X12 003050 Transaction Set 848U Material Safety Data Sheet (Unstructured)

Implementation Convention

Electronic Commerce Acquisition Program Management Office
Standard Management Committee - Secretariat
National Institute of Standards and Technology
Gaithersburg, MD 20899-0001

Editor: Dr. Jean-Philippe Favreau

February 1998



U.S. DEPARTMENT OF COMMERCE
William M. Daley, Secretary

Technology Administration
Gary R. Bachula, Acting Under Secretary for Technology

National Institute of Standards and Technology
Raymond G. Kammer, Director

Reports on Information Technology

The National Institute of Standards and Technology (NIST)'s Information Technology Laboratory (ITL) develops standards and guidelines, provides technical assistance, and conducts research for computers and resources. As part of the overall federal effort to establish a single face to industry for conducting electronic commerce, ITL has been designated as the organization responsible for coordinating the development of Federal Implementation Conventions (ICs) for Electronic Data Interchange (EDI). ICs are defined by functional-area experts who create and select options from standard EDI Transaction Sets to yield the implementations to be used for practical EDI. These ICs are made available to federal agencies and industry by electronic means and this Special Publication Series.

National Institute of Standards and Technology Special Publication 881-63
Natl. Inst. Stand. Technol. Spec. Publ. 881-63, 28 pages (Feb. 1998)
CODEN: NSPUE2

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON: 1998

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402

848 Material Safety Data Sheet

Functional Group ID=**MS**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Material Safety Data Sheet Transaction Set (848) for use within an Electronic Data Interchange (EDI) environment. The transaction set can be used to communicate chemical characteristics, hazards, and precautions for the safe handling and use of a material. The transaction set is intended to convey the information required for a Material Safety Data Sheet (MSDS) as defined by the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard, 29 CFR 1910.1200 in the United States, and Workplace Hazardous Materials Information System (WHIMS) in Canada, and various state, province, and local requirements under right-to-know legislation. The MSDS provides the receiver with detailed information concerning material identity, emergency response, chemical and physical characteristics, toxicology, and industrial hygiene procedures. State and federal law dictate who is obligated to provide the MSDS and to whom it should be issued. In addition, third-party providers or others with no statutory obligation may voluntarily provide an MSDS to anyone. This transaction set allows for transmission of MSDS data in a structured, unstructured, or semi-structured form. CAUTION: With this transaction set, text format is critical due to the MSDS's primary role as a vehicle for hazards communication. The risk if this information is not transmitted clearly and accurately could be harmful to human life, harmful to the environment, could cause mishandling of product, could result in regulatory non-compliance, and could result in liability. Trading partners need to agree on how to interpret, store, and display/print MSDS text, especially text contained in the MSG and SD1 segments. For example, a sender may wish to format text so that one print line is mapped to one MSG segment. Segment terminator and data element delimiter characters shall not appear in any MSDS data. WARNING: Alteration of the original document will occur if the EDI translator or application software converts characters to uppercase. This may adversely affect the appearance, effectiveness, clarity, readability, and communicability of the printed MSDS document.

Notes:

- 1. This implementation convention provides the fully unstructured format for submission of a "text like" Material Safety Data Sheet (MSDS). The Federal Government seeks to maximize the use of the structured convention where possible.*
- 2. This data requirement conforms with the Chemical Manufacturer's Association ANSI standard for MSDS preparation (ANSI Z400.1) and provides for hazard communication (HAZCOM) warning label information. Non ANSI Z400.1 format MSDS can also be accommodated within this structure, but suppliers should ensure the format used preserves data clarity and readability.*
- 3. Strict version control of each MSDS for unique products and formulations is required. The primary method for MSDS identification is through a linkage between a unique MSDS reference number, a revision number if applicable, a manufacturer's part number, a CAGE (commercial and government entity), and MSDS effective date. Priority should be given to this data when identifying a unique product.*
- 4. Send only one MSDS per transaction.*
- 5. For any section where information is not available or not applicable, cite the section heading and provide an indicative message such as, for example, "Not Available."*

Heading:

Pos.	Seg.	Req.	Loop	Notes and
------	------	------	------	-----------

848U - Material Safety Data Sheet (Unstructured)

	<u>No.</u>	<u>ID</u>	<u>Name</u>	<u>Des.</u>	<u>Max.Use</u>	<u>Repeat</u>	<u>Comments</u>
Must Use	010	ST	Transaction Set Header	M	1		
Must Use	020	BMS	Beginning Segment For Material Safety Data Sheet	M	1		
Not Used	030	NTE	Note/Special Instruction	O	>1		
Must Use	040	REF	Reference Numbers	O	>1		
	050	DTM	Date/Time Reference	O	>1		
LOOP ID - N1							>1
	060	N1	Name	O	1		
	070	N2	Additional Name Information	O	>1		
	080	N3	Address Information	O	>1		
	090	N4	Geographic Location	O	1		
	100	REF	Reference Numbers	O	>1		
	110	PER	Administrative Communications Contact	O	>1		

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
LOOP ID - LIN							999999
Must Use	010	LIN	Item Identification	M	1		n1
	020	PID	Product/Item Description	O	>1		
LOOP ID - MSS							>1
	030	MSS	Material Safety Data Sheet Section Information	O	1		n2
Not Used	040	MEA	Measurements	O	>1		
	050	MSG	Message Text	O	>1		n3
LOOP ID - SD1							>1
Not Used	060	SD1	Safety Data	O	1		n4
Not Used	070	MEA	Measurements	O	>1		
Not Used	072	PKG	Marking, Packaging, Loading	O	>1		
Not Used	074	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	>1		
Not Used	080	MSG	Message Text	O	>1		n5
LOOP ID - CID							>1
Not Used	100	CID	Characteristic/Class ID	O	1		
Not Used	110	MEA	Measurements	M	>1		
LOOP ID - LX							>1
Not Used	115	LX	Assigned Number	O	1		
Not Used	120	CID	Characteristic/Class ID	O	1		
Not Used	130	MEA	Measurements	O	>1		
Not Used	140	STA	Statistics	O	1		
Not Used	150	TMD	Test Method	O	1		
Not Used	160	MSG	Message Text	O	>1		
LOOP ID - SD1							>1
Not Used	170	SD1	Safety Data	O	1		
Not Used	180	MEA	Measurements	O	>1		
Not Used	182	PKG	Marking, Packaging, Loading	O	>1		
Not Used	184	TD4	Carrier Details (Special Handling, or Hazardous Materials, or Both)	O	>1		

Not Used	190	MSG	Message Text	O	>1			
			LOOP ID - CID		>1			
Not Used	210	CID	Characteristic/Class ID	O	1			
Not Used	220	MEA	Measurements	M	>1			

Summary:

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
Not Used	010	CTT	Transaction Totals	O	1		n6
Must Use	020	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

1. LIN loop is product level. MSS is section level. The first SD1 loop is safety data relating to the section only. The first CID loop is for complex measurements on safety data. LX loop is used to specify product characteristics, components, or complex measurements (i.e., those with environmental parameters). The second SD1 loop is safety data relating to a particular product characteristic or component. The second CID loop is for complex measurements on safety data, which related to a particular product characteristic or component.
2. Regulation notifications can be contained in MSS or SD1 or both.
3. Trading partners must agree on a convention for text processing that will not split words, and which can convey correct meaning, in successive SD1 or MSG segments.
4. Regulation notifications can be contained in MSS or SD1 or both.
5. Trading partners must agree on a convention for text processing that will not split words, and which can convey correct meaning, in successive SD1 or MSG segments.
6. The number of line items (CTT01) is the accumulation of the number of LIN segments. Hash total (CTT02) is not used in this transaction set.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 848 X12.36 Material Safety Data Sheet	M ID 3/3
Must Use	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>A unique number assigned by the originator of the transaction set, or the originator's application program.</i>	M AN 4/9

Segment: **BMS** Beginning Segment For Material Safety Data Sheet
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: Beginning of the Material Safety Data Sheet Transaction Set, to identify the distinct type of report and to transmit key identifying numbers and dates relating to that report
Syntax Notes:
Semantic Notes:

- 1 BMS02 specifies date the report is effective (YYMMDD).
- 2 BMS04 specifies sender's report identifier.
- 3 BMS05 is a number indicating the chronological sequence of this revision.
- 4 BMS08 specifies the state or province for ultimate receipt of this report.
- 5 BMS09 specifies the country for ultimate receipt of this report.

Comments:

- 1 If BMS01 is code "05" and BMS04 is used, then BMS06, if used, must identify the previous version of this report which is being replaced.
If BMS01 is code "05" and BMS05 is used, then BMS07, if used, must identify the previous version of this report which is being replaced.
- 2 BMS03 specifies the language of the text information in the Material Safety Data Sheet (MSDS).

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	BMS01	353	Transaction Set Purpose Code Code identifying purpose of transaction set	M ID 2/2
			00 Original <i>Use to identify an original MSDS transaction submission.</i>	
			01 Cancellation <i>Use only to indicate the cancellation of a previously submitted MSDS when the MSDS is found to be inaccurate and a new original (or replacement) MSDS has been submitted.</i>	
			05 Replace <i>Use to identify the original submission of a MSDS which replace an existing MSDS, whether previously submitted or not. Submission of a replacement MSDS is considered to be advisory information for the recipient and is not associated with an ongoing acquisition action. This encompasses MSDSs superseded, replaced, or revised.</i>	
Must Use	BMS02	373	Date Date (YYMMDD)	M DT 6/6
			1. Cite the date on which the MSDS content is in effect.	
			2. For MSDS request transactions, cite the date of request.	
	BMS03	819	Language Code Code designating the language used in text, from a standard code list maintained by the International Standards Organization (ISO 639)	O ID 2/3
			<i>Use to specify a language if other than English.</i>	
	BMS04	127	Reference Number	O AN 1/30

			Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	
			<i>Cite the MSDS reference number which uniquely identifies any individual MSDS in original and cancellation submissions. For replacement MSDS submissions, cite the reference number of the MSDS which is replacing the obsolete MSDS.</i>	
	BMS05	691	Revision Number	O N0 1/4
			A number which indicates the chronological sequence of revisions and updates to a ratemaking docket	
			<i>Use to identify the unique revision number associated with the MSDS reference number as assigned by the developer of the MSDS. This is the most recent version of the MSDS.</i>	
	BMS06	127	Reference Number	O AN 1/30
			Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	
			<i>Use only in MSDS replacement submissions to identify the MSDS reference number of the MSDS being replaced.</i>	
	BMS07	691	Revision Number	O N0 1/4
			A number which indicates the chronological sequence of revisions and updates to a ratemaking docket	
			<i>Use only in MSDS replacement submissions to identify the MSDS revision number applicable to the MSDS being replaced.</i>	
Not Used	BMS08	156	State or Province Code	O ID 2/2
			Code (Standard State/Province) as defined by appropriate government agency	
Not Used	BMS09	26	Country Code	O ID 2/3
			Code identifying the country	

Segment: REF Reference Numbers
Position: 040
Loop:
Level: Heading
Usage: Optional (Must Use)
Max Use: >1
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:
Notes:

1. Use for the original and cancellation submissions to identify the appropriate reference number associated with the MSDS submission requirement. Use multiple repetitions of the 1/REF/040 segment as needed to identify contract number and associated release or delivery order number.
2. The 1/REF/040 segment MUST be used once to identify the type of implementation convention being used for this transaction. Use code EZ in REF01 and cite the appropriate code in REF02.
3. Use for replacement submissions, if known, to identify the applicable contract, purchase order, or other number associated with the original submission.

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	REF01	128	Reference Number Qualifier Code qualifying the Reference Number.	M ID 2/2
			2G Amendment	
			C4 Change Number	
			<i>Use to cite the contract modification number, as required.</i>	
			CT Contract Number	
			DO Delivery Order Number	
			<i>Use to cite the delivery order number against requirements or indefinite quantity contracts.</i>	
			EZ Electronic Data Interchange Agreement Number	
			<i>Use to identify the implementation convention used for this transaction by citing the following in REF02: "848F004"</i>	
			KS Solicitation	
			A discreet number assigned by the purchasing activity to differentiate between different solicitations	
			<i>Use to indicate the solicitation number under which the MSDS is submitted. This is the primary method for cross reference to purchase prior to contract award.</i>	
			PR Price Quote Number	
			TN Transaction Reference Number	
			<i>Use to cite the MSDS request number given in BMS04 of the MSDS request transaction, if applicable.</i>	
Must Use	REF02	127	Reference Number Reference number or identification number as defined for a particular	X AN 1/30

REF03	352	Transaction Set, or as specified by the Reference Number Qualifier. Description	X	AN 1/80
		A free-form description to clarify the related data elements and their content		

Segment: **DTM** Date/Time Reference
Position: 050
Loop:
Level: Heading
Usage: Optional
Max Use: >1
Purpose: To specify pertinent dates and times
Syntax Notes: 1 At least one of DTM02 DTM03 or DTM06 is required.
2 If either DTM06 or DTM07 is present, then the other is required.
Semantic Notes:
Comments:
Notes: 1. Use in MSDS original, cancellation, and replacement transactions to identify the MSDS date of preparation.

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	DTM01	374	Date/Time Qualifier Code specifying type of date or time, or both date and time	M ID 3/3
			042 Superseded <i>Use in replacement submissions only to identify the preparation date of MSDS being replaced.</i>	
			102 Issue <i>Use in original and cancellation transactions to identify the date of preparation for the MSDS being submitted or canceled. Use in replacement submissions to identify the original date of preparation for the new MSDS.</i>	
Must Use	DTM02	373	Date Date (YYMMDD)	X DT 6/6
Not Used	DTM03	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	X TM 4/8
Not Used	DTM04	623	Time Code Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow	O ID 2/2
	DTM05	624	Century The first two characters in the designation of the year (CCYY)	O N0 2/2
Not Used	DTM06	1250	Date Time Period Format Qualifier Code indicating the date format, time format, or date and time format	X ID 2/3
Not Used	DTM07	1251	Date Time Period Expression of a date, a time, or range of dates, times or dates and times	X AN 1/35

Segment:	N1 Name
Position:	060
Loop:	N1 Optional
Level:	Heading
Usage:	Optional
Max Use:	1
Purpose:	To identify a party by type of organization, name, and code
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of N102 or N103 is required. 2 If either N103 or N104 is present, then the other is required.
Semantic Notes:	
Comments:	<ol style="list-style-type: none"> 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party. 2 N105 and N106 further define the type of entity in N101.
Notes:	<ol style="list-style-type: none"> 1. Multiple iterations of the 1/N1/060 loop are permitted to identify the party(ies) associated with the development and submission of the MSDS. 2. If possible, use only N101 and the N103/N104 combination to provide the appropriate entity and address information.

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	N101	98 Entity Identifier Code	M ID 2/2
		Code identifying an organizational entity, a physical location, or an individual	
		DS Distributor	
		<i>Use as needed to identify the entity in the material chain-of-custody responsible for distributing the material and which did not alter product information.</i>	
		MF Manufacturer of Goods	
		<i>Use to identify the product manufacturer and entity responsible for determining the final product formulation.</i>	
		R6 Requester	
		<i>Use to identify the entity initiating the MSDS request or requirement.</i>	
		SU Supplier/Manufacturer	
		<i>Use as needed to identify the entity providing the material if other than distribution or manufacturer of goods.</i>	
		YE Third Party	
		<i>Use to identify the MSDS submitter when other than the manufacturer or party providing the material.</i>	
		ZD Party to Receive Reports	
		The organization designated to receive reports	
		<i>Use to indicate the party to receive the MSDS if other than the requester or entity initiating the requirement (R6).</i>	
N102	93	Name	X AN 1/35
		Free-form name	
		<i>Use only when no coded identification for the entity is available.</i>	
N103	66	Identification Code Qualifier	X ID 1/2

Code designating the system/method of code structure used for Identification Code (67)

1	D-U-N-S Number, Dun & Bradstreet
9	D-U-N-S+4, D-U-N-S Number with Four Character Suffix
10	Department of Defense Activity Address Code (DODAAC)
	<i>Use to identify a government activity within the Department of Defense.</i>
33	Commercial and Government Entity (CAGE)
FI	Federal Taxpayer's Identification Number

N104	67	Identification Code	X	AN 2/20
------	----	----------------------------	---	---------

Code identifying a party or other code

Not Used	N105	706	Entity Relationship Code	O	ID 2/2
----------	------	-----	---------------------------------	---	--------

Code describing entity relationship

N106	98	Entity Identifier Code	O	ID 2/2
------	----	-------------------------------	---	--------

Code identifying an organizational entity, a physical location, or an individual

FR	Message From
----	--------------

Use as needed in conjunction with appropriate 1/N101/060 code to identify the party originating the transaction set.

TO	Message To
----	------------

Use as needed in conjunction with the appropriate 1/N101/060 code to identify the party to receive the transaction set.

Segment: **N2** Additional Name Information
Position: 070
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: >1
Purpose: To specify additional names or those longer than 35 characters in length
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Use only as required in conjunction with N102 to further identify the entity when the N103/N104 combination is not sufficient. For example, use to identify a specific division or office of the organization cited in N102.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N201	93	Name Free-form name	M AN 1/35
	N202	93	Name Free-form name	O AN 1/35

Segment: **N3** Address Information
Position: 080
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: >1
Purpose: To specify the location of the named party
Syntax Notes:
Semantic Notes:
Comments:
Notes:

Use only as required in conjunction with N102 to further identify the entity's address when the N103/N104 combination is not sufficient.

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	N301	166	Address Information Address information	M AN 1/35
	N302	166	Address Information Address information	O AN 1/35

Segment: **N4 Geographic Location**
Position: 090
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: 1
Purpose: To specify the geographic place of the named party
Syntax Notes: 1 If N406 is present, then N405 is required.
Semantic Notes:
Comments: 1 A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2 N402 is required only if city name (N401) is in the USA or Canada.
Notes: *Use only as required in conjunction with N102 to further identify the entity location when the N103/N104 combination is not sufficient.*

Data Element Summary

Ref.	Des.	Data Element	Name	Attributes
	N401	19	City Name	O AN 2/30
			Free-form text for city name	
	N402	156	State or Province Code	O ID 2/2
			Code (Standard State/Province) as defined by appropriate government agency	
	N403	116	Postal Code	O ID 3/11
			Code defining international postal zone code excluding punctuation and blanks (zip code for United States)	
	N404	26	Country Code	O ID 2/3
			Code identifying the country	
			<i>Use only in transactions identifying the location of an entity as a country outside the fifty United States or its territories or possessions.</i>	
Not Used	N405	309	Location Qualifier	X ID 1/2
			Code identifying type of location	
Not Used	N406	310	Location Identifier	O AN 1/30
			Code which identifies a specific location	

Segment: **REF** Reference Numbers
Position: 100
Loop: N1 Optional
Level: Heading
Usage: Optional
Max Use: >1
Purpose: To specify identifying numbers.
Syntax Notes: 1 At least one of REF02 or REF03 is required.
Semantic Notes:
Comments:
Notes: *Use as needed in all transactions to further identify the entity cited in N101.*

Data Element Summary

	Ref. Des.	Data Element	Name	Attributes
Must Use	REF01	128	Reference Number Qualifier Code qualifying the Reference Number. W7 Commercial and Government Entity (CAGE) Code Code that identifies a commercial contractor authorized to do business with the U.S. Government <i>Use to indicate the CAGE code of the organization (other than government) cited in N101 if N103 is other than code 33.</i>	M ID 2/2
Must Use	REF02	127	Reference Number Reference number or identification number as defined for a particular Transaction Set, or as specified by the Reference Number Qualifier.	X AN 1/30
Not Used	REF03	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80

Segment: **PER** Administrative Communications Contact

Position: 110

Loop: N1 Optional

Level: Heading

Usage: Optional

Max Use: >1

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Notes:

- 1 If either PER03 or PER04 is present, then the other is required.
- 2 If either PER05 or PER06 is present, then the other is required.
- 3 If either PER07 or PER08 is present, then the other is required.

Semantic Notes:**Comments:****Notes:**

1. Suppliers must, as a minimum, identify the emergency contact and telephone number and provide an information contact and telephone number.
2. Use PER05/PER06 and PER07/PER08 to provide a second and third, respectively, contact number associated with the named contact.
3. Repeat the use of 1/PER/110 as needed to provide all applicable points of contact for each entity identified by an iteration of the 1/N1/060 loop.

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	PER01	366 Contact Function Code	M ID 2/2
		Code identifying the major duty or responsibility of the person or group named	
		AT Material Safety Data Sheet Contact	
		EM Emergency Contact	
		HM Hazardous Material Contact	
		TR Technical Marketing Representative	
		Use to identify point of contact for emergency situations. Cite the office or third party representative (e.g., CHEMTREC) in PER02.	
		Use as needed to identify the general point of contact from which information regarding the hazards of the material may be obtained.	
		Use as needed to identify the point of contact for general product information.	
PER02	93	Name	O AN 1/35
		Free-form name	
		Use to indicate the name of the person or office. Last name first, followed by first name is preferred. If the whole name exceeds 35 characters, use the initial of the first name.	
PER03	365	Communication Number Qualifier	X ID 2/2
		Code identifying the type of communication number	
		When citing a telephone or facsimile number, do not include dashes.	
		EM Electronic Mail	
		FX Facsimile	
		IT International Telephone	
		TE Telephone	
		Include the country code.	
PER04	364	Communication Number	X AN 1/80

		Complete communications number including country or area code when applicable		
PER05	365	Communication Number Qualifier	X	ID 2/2
		Code identifying the type of communication number		
		EM Electronic Mail		
		EX Telephone Extension		
		<i>Use only if PER03 is used citing either code TE or IT.</i>		
		FX Facsimile		
		IT International Telephone		
		<i>Include the country code.</i>		
		TE Telephone		
PER06	364	Communication Number	X	AN 1/80
		Complete communications number including country or area code when applicable		
PER07	365	Communication Number Qualifier	X	ID 2/2
		Code identifying the type of communication number		
		EM Electronic Mail		
		EX Telephone Extension		
		<i>Use only if PER05 is used citing either code TE or IT.</i>		
		FX Facsimile		
		IT International Telephone		
		<i>Include the country code.</i>		
		TE Telephone		
PER08	364	Communication Number	X	AN 1/80
		Complete communications number including country or area code when applicable		
PER09	443	Contact Inquiry Reference	O	AN 1/20
		Additional reference number or description to clarify a contact number		
		<i>Use as needed to further identify the point of contact or communications method. For example, use to cite "24-hours" or "Mon-Fri" as needed.</i>		

Segment:	LIN Item Identification
Position:	010
Loop:	LIN Mandatory
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To specify basic item identification data
Syntax Notes:	<ol style="list-style-type: none"> 1 If either LIN04 or LIN05 is present, then the other is required. 2 If either LIN06 or LIN07 is present, then the other is required. 3 If either LIN08 or LIN09 is present, then the other is required. 4 If either LIN10 or LIN11 is present, then the other is required. 5 If either LIN12 or LIN13 is present, then the other is required. 6 If either LIN14 or LIN15 is present, then the other is required. 7 If either LIN16 or LIN17 is present, then the other is required. 8 If either LIN18 or LIN19 is present, then the other is required. 9 If either LIN20 or LIN21 is present, then the other is required. 10 If either LIN22 or LIN23 is present, then the other is required. 11 If either LIN24 or LIN25 is present, then the other is required. 12 If either LIN26 or LIN27 is present, then the other is required. 13 If either LIN28 or LIN29 is present, then the other is required. 14 If either LIN30 or LIN31 is present, then the other is required.
Semantic Notes:	1 LIN01 is the line item identification
Comments:	<ol style="list-style-type: none"> 1 See the Data Dictionary for a complete list of ID's. 2 LIN02 through LIN31 provide for fifteen (15) different product/service ID's for each item. For Example: Case, Color, Drawing No., UPC No., ISBN No., Model No., SKU.
Notes:	<ol style="list-style-type: none"> 1. <i>Use only the 2/LIN/010 segment in cancellation transactions to identify the material associated with the canceled MSDS.</i> 2. <i>Use all additional necessary segments in the 2/LIN/010 loop in original and replacement transactions to identify the specific MSDS content.</i> 3. <i>Use data element 235/234 pairs to identify data pertinent to the transaction. Unless otherwise specified, the multiple codes listed for a single qualifier data element identify the range of possible data requirements. When needed, use the next available combination of data element 235/234 pairs to provide the necessary data.</i> 4. <i>The most desirable means of item identification is manufacturer's part number and CAGE Code. However, MSDS submitters may use other authorized coding alternatives to identify the material for which the MSDS is prepared. This information will be used in conjunction with an MSDS reference number, MSDS revision number, and MSDS effective date to uniquely identify any individual MSDS.</i> 5. <i>Manufacturers should use one 235/234 pair to identify the product by manufacturer's part number (Code MG) and immediately follow with another 235/234 pair identifying the associated manufacturer CAGE Code (Code ZB).</i> 6. <i>Distributors and repackagers should use one 235/234 pair to identify the product by vendor's part number (Code VP) and follow immediately with a 235/234 pair identifying the associated distributor or repackagers CAGE Code (Code ZB). Distributors and repackagers should then use two additional 235/234 pairs to identify the product manufacturer's part number (Code MG) and CAGE Code (Code ZB), if known.</i> 7. <i>Suppliers should identify the product by manufacturer's part number (Code MG) in</i>

one 235/234 pair and follow immediately with a 235/234 pair identifying the associated manufacturer CAGE Code (Code ZB).

8. All submitters shall provide the National Stock Number (NSN), if known, but NOT as a substitute for part number and CAGE Code. The use of code FS may be repeated in successive 235/234 pairs to identify multiple NSN's corresponding to the product.

9. Provide other identifying information, as required, to adequately identify the material for which the MSDS applies.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
LIN01	350	Assigned Identification	O AN 1/11
		Alphanumeric characters assigned for differentiation within a transaction set	
		<i>Use to identify the Contract Line Item Number (CLIN), Sub Contract Line Item Number (SUBCLIN), or the Exhibit Line Item Number (ELIN), if one is assigned.</i>	
Must Use	LIN02	235 Product/Service ID Qualifier	M ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
		<i>Use one of the following codes in the LIN02/LIN03 data element pair to identify the material. Use any code in subsequent data element pairs to further identify the material as needed.</i>	
		A2 Department of Defense Identification Code (DoDIC)	
		Qualifies a code that uniquely identifies a type of explosive or ammunition	
		BN Bar-Coded Serial Number	
		BP Buyer's Part Number	
		CN Commodity Name	
		CO Chemical Abstract Service (CAS) Registry Number	
		FS National Stock Number	
		IN Buyer's Item Number	
		LT Lot Number	
		MG Manufacturer's Part Number	
		<i>Use to identify a manufacturer or supplier's part number.</i>	
		UK U.P.C./EAN Shipping Container Code (1-2-5-5-1)	
		A 14-digit code that uniquely identifies the manufacturer's shipping unit, including the packaging indicator and check digit; the first digit is the packaging indicator, the next two digits are the number system characters, the next five digits are the manufacturer ID number, the second five digits are the item code, and the final digit is the check digit	
		UP U.P.C. Consumer Package Code (1-5-5-1)	
		VN Vendor's (Seller's) Item Number	
		VP Vendor's (Seller's) Part Number	
		<i>Use to identify a distributor or repackager's part number.</i>	
		VX Vendor's Specification Number	
		ZB Commercial and Government Entity (CAGE) Code	

A code that identifies a commercial contractor authorized to do business with the U.S. government

Use in conjunction with code MG (or VP) to identify the manufacturer (or distributor).

Must Use	LIN03	234	Product/Service ID	M	AN 1/40
			Identifying number for a product or service		
	LIN04	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
	LIN05	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
	LIN06	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
	LIN07	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
	LIN08	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
	LIN09	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
	LIN10	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
	LIN11	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
	LIN12	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
	LIN13	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
	LIN14	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
	LIN15	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
	LIN16	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in Product/Service ID (234)		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
	LIN17	234	Product/Service ID	X	AN 1/40
			Identifying number for a product or service		
	LIN18	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number used in		

		Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
LIN19	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN20	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in		
		Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
LIN21	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN22	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in		
		Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
LIN23	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN24	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in		
		Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
LIN25	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN26	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in		
		Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
LIN27	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN28	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in		
		Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
LIN29	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		
LIN30	235	Product/Service ID Qualifier	X	ID 2/2
		Code identifying the type/source of the descriptive number used in		
		Product/Service ID (234)		
		Refer to 003050 Data Element Dictionary for acceptable code values.		
LIN31	234	Product/Service ID	X	AN 1/40
		Identifying number for a product or service		

Segment:	PID Product/Item Description
Position:	020
Loop:	LIN Mandatory
Level:	Detail
Usage:	Optional
Max Use:	>1
Purpose:	To describe a product or process in coded or free-form format
Syntax Notes:	<ol style="list-style-type: none"> 1 If PID04 is present, then PID03 is required. 2 At least one of PID04 or PID05 is required. 3 If PID07 is present, then PID03 is required. 4 If PID08 is present, then PID03 is required.
Semantic Notes:	<ol style="list-style-type: none"> 1 Use PID03 to indicate the organization that publishes the code list being referred to. 2 PID04 should be used for industry-specific product description codes. 3 PID08 describes the physical characteristics of the product identified in PID04. A ``Y" indicates that the specified attribute applies to this item. A ``N" indicates it does not apply. Any other value is indeterminate.
Comments:	<ol style="list-style-type: none"> 1 If PID01 = ``F", then PID05 is used. If PID01 = ``S", then PID04 is used. If PID01 = ``X", then both PID04 and PID05 are used. 2 Use PID06 when necessary to refer to the product surface or layer being described in the segment. 3 PID07 specifies the individual code list of the agency specified in PID03.
Notes:	<i>Use this segment only if the product applicable to the MSDS cannot be adequately identified by a code value cited in the LIN segment.</i>

Data Element Summary

Ref.	Data	Name	Attributes
Des.	Element		
Must Use	PID01	349 Item Description Type	M ID 1/1
		Code indicating the format of a description	
		F Free-form	
		S Structured (From Industry Code List)	
		X Semi-structured (Code and Text)	
Must Use	PID02	750 Product/Process Characteristic Code	O ID 2/3
		Code identifying the general class of a product or process characteristic	
		08 Product	
		<i>Use to indicate a complete set or kit. When used, provide a general description, including the intended use, of the set or kit in PID05.</i>	
		09 Sub-product	
		<i>Use to indicate a component of a kit and provide a description of the component in PID05.</i>	
		80 MILSPEC (Military Specification)	
		<i>Use to identify a Military Specification (MILSPEC) or Military Standard (MILSTD).</i>	
		81 FEDSPEC (Federal Specification)	
		82 FED-STD (Federal Standard)	
		83 CID (Commercial Item Description)	
		84 Special Specification	
		<i>Use in conjunction with PID04 to identify an industry specification.</i>	
		CCN Common Chemical Name	
		CHF Chemical Family	

SYN

Synonym

Use to indicate another name under which the product is sold.

TRN

Trade Name

Use to indicate the brand name under which the product is sold.

	PID03	559	Agency Qualifier Code	X	ID 2/2
			Code identifying the agency assigning the code values		
			<i>Use any code.</i>		
			Refer to 003050 Data Element Dictionary for acceptable code values.		
	PID04	751	Product Description Code	X	AN 1/12
			A code from an industry code list which provides specific data about a product characteristic		
	PID05	352	Description	X	AN 1/80
			A free-form description to clarify the related data elements and their content		
			<i>Use to identify in free form text, the product applicable to the MSDS.</i>		
Not Used	PID06	752	Surface/Layer/Position Code	O	ID 2/2
			Code indicating the product surface, layer or position that is being described		
Not Used	PID07	822	Source Subqualifier	O	AN 1/15
			A reference that indicates the table or text maintained by the Source Qualifier		
Not Used	PID08	1073	Yes/No Condition or Response Code	O	ID 1/1
			Code indicating a Yes or No condition or response		

Segment:	MSS Material Safety Data Sheet Section Information
Position:	030
Loop:	MSS Optional
Level:	Detail
Usage:	Optional
Max Use:	1
Purpose:	To identify the report section
Syntax Notes:	<ol style="list-style-type: none"> 1 At least one of MSS01 MSS02 or MSS06 is required. 2 Only one of MSS01 or MSS06 may be present.
Semantic Notes:	<ol style="list-style-type: none"> 1 MSS02 is a text description of the report section. 2 MSS03 indicates the state or province issuing the regulations that determine what is reported in this section of the Material Safety Data Sheet (MSDS). 3 MSS04 identifies the country issuing the regulations that determine what is reported in this section.
Comments:	<ol style="list-style-type: none"> 1 MSS05 indicates whether any data in this report section has changed since the last revision of this report. 2 MSS07 indicates that the safety characteristics or hazard name is included in the name of the MSDS section or subsection.
Notes:	<i>Use only in original and replacement submissions. Only a single iteration of the 2/MSS/030 loop is used. Multiple repetitions of 2/MSG/050 convey the MSDS text stream.</i>

Data Element Summary

	<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
Must Use	MSS01	820	Report Section Name Code Code identifying the name of the section of the report MS Material Safety Data Sheet	X ID 2/2
Not Used	MSS02	352	Description A free-form description to clarify the related data elements and their content	X AN 1/80
Not Used	MSS03	156	State or Province Code Code (Standard State/Province) as defined by appropriate government agency	O ID 2/2
Not Used	MSS04	26	Country Code Code identifying the country	O ID 2/3
Not Used	MSS05	259	Change Type Code Code indicating change type	O ID 1/1
Not Used	MSS06	1472	Report Section Number Number identifying a specified section or subsection of a report	X N2 3/4
Not Used	MSS07	821	Safety Characteristic/Hazard Code Code indicating precautionary measures, means of treatment and hazard information and warnings	O ID 3/3

Segment: **MSG** Message Text
Position: 050
Loop: MSS Optional
Level: Detail
Usage: Optional
Max Use: >1
Purpose: To provide a free form format that would allow the transmission of text information.
Syntax Notes:
Semantic Notes:
Comments: 1 MSG02 is not related to the specific characteristics of a printer, but identifies top of page, advance a line, etc.
Notes:

1. *Use multiple repetitions as necessary to convey all MSDS content data.*
2. *Identify section and subsection headings prior to conveying any applicable data to ensure clarity and readability.*
3. *Federal Acquisition regulation requires labeling information in conjunction with the submission of an MSDS for all government purchases. Use the subsection heading "HAZCOM Warning Label." Data required include:*
 - *Identity of hazardous chemical(s);*
 - *Appropriate hazard warnings to include target organ information; and*
 - *Name and address of chemical manufacturer, importer or responsible party.*

Data Element Summary

	Ref.	Data		
	Des.	Element	Name	Attributes
Must Use	MSG01	933	Free-Form Message Text Free-form message text	M AN 1/264
Must Use	MSG02	934	Printer Carriage Control Code A field to be used for the control of the line feed of the receiving printer	O ID 2/2
<i>Use as needed to accurately portray data.</i>				
			AT	Advanced Three Lines Before Print
			DS	Advance two lines before print
			LC	Line Continuation
			NP	Advance to next page before print
			NS	No advance before print
			SS	Advance to new line before print

Segment: **SE** Transaction Set Trailer
Position: 020
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments).

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
Must Use	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M N0 1/10
Must Use	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set <i>Cite the same number as the one cited in ST02.</i>	M AN 4/9

NIST Technical Publications

Periodical

Journal of Research of the National Institute of Standards and Technology—Reports NIST research and development in those disciplines of the physical and engineering sciences in which the Institute is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Institute's technical and scientific programs. Issued six times a year.

Nonperiodicals

Monographs—Major contributions to the technical literature on various subjects related to the Institute's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NIST, NIST annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NIST under the authority of the National Standard Data Act (Public Law 90-396). NOTE: The Journal of Physical and Chemical Reference Data (JPCRD) is published bimonthly for NIST by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements are available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Institute on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NIST under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NIST administers this program in support of the efforts of private-sector standardizing organizations.

Order the following NIST publications—FIPS and NISTIRs—from the National Technical Information Service, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NIST pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NIST Interagency Reports (NISTIR)—A special series of interim or final reports on work performed by NIST for outside sponsors (both government and nongovernment). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Service, Springfield, VA 22161, in paper copy or microfiche form.

U.S. Department of Commerce
National Institute of Standards
and Technology
Gaithersburg, MD 20899-0001

Official Business
Penalty for Private Use \$300